

The performance of schools in the May 2015 Chemical Engineer Licensure Examination in alphabetical order as per R.A. 8981 otherwise known as PRC Modernization Act of 2000 Section 7(m) "To monitor the performance of schools in licensure examinations and publish the results thereof in a newspaper of national circulation" is as follows:

MAY 2015 CHEMICAL ENGINEER LICENSURE EXAMINATION PERFORMANCE OF SCHOOLS IN ALPHABETICAL ORDER

SEQ. NO.	SCHOOL	FIRST TIMERS				REPEATERS				OVERALL PERFORMANCE			
		PASSED	FAILED	TOTAL	% PASSED	PASSED	FAILED	TOTAL	% PASSED	PASSED	FAILED	TOTAL	% PASSED
1	ADAMSON UNIVERSITY	10	1	11	90.91%	0	2	2	0.00%	10	3	13	76.92%
2	BATANGAS STATE UNIVERSITY-BATANGAS CITY (PBMIT)	18	4	22	81.82%	5	3	8	62.50%	23	7	30	76.67%
3	BICOL UNIVERSITY-LEGAZPI	2	6	8	25.00%	4	8	12	33.33%	6	14	20	30.00%
4	CAGAYAN STATE UNIVERSITY-TUGUEGARAO	0	0	0	0.00%	2	2	4	50.00%	2	2	4	50.00%
5	CEBU INSTITUTE OF TECHNOLOGY	8	7	15	53.33%	4	7	11	36.36%	12	14	26	46.15%
6	CENTRAL PHILIPPINE UNIVERSITY	4	0	4	100.00%	1	1	2	50.00%	5	1	6	83.33%
7	COLEGIO SAN AGUSTIN-BACOLOD CITY	0	0	0	0.00%	1	2	3	33.33%	1	2	3	33.33%
8	DE LA SALLE UNIVERSITY-MANILA	26	4	30	86.67%	2	1	3	66.67%	28	5	33	84.85%
9	EASTERN VISAYAS STATE UNIVERSITY (for.L.I.T.)TACLOBAN	1	6	7	14.29%	1	5	6	16.67%	2	11	13	15.38%
10	EULOGIO (AMANG) RODRIGUEZ INSTITUTE OF SCIENCE & TECHNOLOGY	0	0	0	0.00%	0	1	1	0.00%	0	1	1	0.00%
11	MALAYAN COLLEGES LAGUNA	3	1	4	75.00%	6	2	8	75.00%	9	3	12	75.00%
12	MAPUA INSTITUTE OF TECHNOLOGY-MANILA	19	7	26	73.08%	5	3	8	62.50%	24	10	34	70.59%
13	MARIANO MARCOS STATE UNIVERSITY-BATAC	0	0	0	0.00%	3	10	13	23.08%	3	10	13	23.08%
14	MINDANAO STATE UNIVERSITY-ILIGAN INSTITUTE OF TECHNOLOGY	2	1	3	66.67%	6	3	9	66.67%	8	4	12	66.67%
15	MINDANAO STATE UNIVERSITY-MARAWI CITY	1	0	1	100.00%	0	1	1	0.00%	1	1	2	50.00%
16	PAMANTASAN NG LUNGSOD NG MAYNILA	2	1	3	66.67%	5	2	7	71.43%	7	3	10	70.00%
17	POLYTECHNIC UNIVERSITY OF THE PHILIPPINES-STA MARIA, BULACAN	0	1	1	0.00%	0	0	0	0.00%	0	1	1	0.00%
18	SAINT LOUIS UNIVERSITY	17	3	20	85.00%	7	8	15	46.67%	24	11	35	68.57%
19	SAINT MICHAEL'S COLLEGE-ILIGAN CITY	0	1	1	0.00%	0	0	0	0.00%	0	1	1	0.00%
20	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA	8	2	10	80.00%	0	1	1	0.00%	8	3	11	72.73%
21	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY	0	0	0	0.00%	0	2	2	0.00%	0	2	2	0.00%
22	UNIVERSIDAD DE ZAMBOANGA (for.ZAEC)	0	0	0	0.00%	0	1	1	0.00%	0	1	1	0.00%
23	UNIVERSITY OF LUZON (LUZON COLL.)	0	0	0	0.00%	0	4	4	0.00%	0	4	4	0.00%
24	UNIVERSITY OF MINDANAO- DAVAO CITY	1	3	4	25.00%	0	1	1	0.00%	1	4	5	20.00%
25	UNIVERSITY OF NEGROS OCCIDENTAL-RECOLETOS	0	0	0	0.00%	0	4	4	0.00%	0	4	4	0.00%

MAY 2015 CHEMICAL ENGINEER LICENSURE EXAMINATION
PERFORMANCE OF SCHOOLS IN ALPHABETICAL ORDER

SEQ. NO.	SCHOOL	FIRST TIMERS				REPEATERS				OVERALL PERFORMANCE			
		PASSED	FAILED	TOTAL	% PASSED	PASSED	FAILED	TOTAL	% PASSED	PASSED	FAILED	TOTAL	% PASSED
26	UNIVERSITY OF SAINT LA SALLE	0	0	0	0.00%	4	7	11	36.36%	4	7	11	36.36%
27	UNIVERSITY OF SAN AGUSTIN	0	0	0	0.00%	1	5	6	16.67%	1	5	6	16.67%
28	UNIVERSITY OF SAN CARLOS	11	0	11	100.00%	0	1	1	0.00%	11	1	12	91.67%
29	UNIVERSITY OF SAN JOSE-RECOLETOS	0	0	0	0.00%	0	1	1	0.00%	0	1	1	0.00%
30	UNIVERSITY OF SANTO TOMAS	6	1	7	85.71%	7	16	23	30.43%	13	17	30	43.33%
31	UNIVERSITY OF THE PHILIPPINES-DILIMAN	4	1	5	80.00%	3	2	5	60.00%	7	3	10	70.00%
32	UNIVERSITY OF THE PHILIPPINES-LOS BAÑOS	21	6	27	77.78%	4	2	6	66.67%	25	8	33	75.76%
33	UNIVERSITY OF THE PHILIPPINES-VISAYAS-ILOILO CITY	1	0	1	100.00%	1	1	2	50.00%	2	1	3	66.67%
34	XAVIER UNIVERSITY	0	1	1	0.00%	2	0	2	100.00%	2	1	3	66.67%
OVERALL TOTAL		165	57	222	74.32%	74	109	183	40.44%	239	166	405	59.01%

XXXXXXXXXX NOTHING FOLLOWS XXXXXXXXXXXX

Any discrepancy in the report is not intentional on the part of the Commission, but rather due to miscoding of school codes by the examinees themselves. Concerned schools may write the Commission for correction.